# Stacking crate light - 400x300xH240mm - grey





## **Product specifications**

#### **Properties**

| Weight (kg)                            | 0,91 kg                |
|--|------------------------|
| External<br>dimensions ( L x<br>W x H) | 400 × 300 × 240 mm     |
| Temperature<br>range                   | -20°C to +80°C         |
| Capacity                               | 22 liter               |
| Color                                  | Grey                   |
| Material                               | PP                     |
| Bottom                                 | Perforated, reinforced |
| Sidewalls                              | Perforated             |
| Handles                                | Open                   |
| Colorcode                              | RAL 7040               |
| Max. load capacity per box             | 15 kg                  |
| Internal<br>dimensions (L x<br>W x H)  | 366 × 266 × 225 mm     |
|  |                        |

# Stackable crate light w

| Stackable crate light with perforations in the bottom and side walls |  |
|--|--|
| Equipped with two open handles                                       |  |
| Light reinforced bottom  |  |
| Ideal for universal use  |  |
| Dimensions: 400 x 300 x H240 mm                                      |  |
|  |  |

## Description

Plastic stacking crate light in Euro norm size 400 x 300 x H240 mm. The applications of these crates are versatile and can range from use in the food industry, such as transporting vegetables and fruits, to warehouses for storage and distribution of goods. The perforated bottom with light rib reinforcement ensures that products remain well-ventilated, making them highly suitable for use in controlled environments. Although it is not possible to add compartment dividers to the light crates, there is plenty of space to store products.





Transoplast +31(0)314 66 44 00 website@transoplast.com dev.transoplast.com

# Matching accessories







#### Transoplast +31(0)314 66 44 00 website@transoplast.com dev.transoplast.com

